

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cb: Coastal Beaches-----	70	Not rated		Not rated	
DoA: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
DoB: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  0.32
DoC: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  1.00
DoC3: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage  Slope	1.00  1.00
Fa: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
Fb: Fallsington-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FdA: Dragston-----	50	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
FdB: Dragston-----	50	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
FgA: Dragston-----	50	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
FgB: Dragston-----	50	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
GcB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GlB: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
Lakeland-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GlC: Galestown-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Lakeland-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Gp: Gravel And Borrow Pi	100	Not rated		Not rated	
Jo: Johnston Loam-----	100	Not rated		Not rated	
KfA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KmA: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KnA: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage	1.00
KnB: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Slope	1.00 0.32
LaB: Lakeland-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
LgB: Lakeland-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
Galestown-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.32
LmC: Lakeland-----	50	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00
Galestown-----	30	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lo: Leon-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage	1.00
Ma: Made Land-----	100	Not rated		Not rated	
MfA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MfB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MfC: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MkA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MkB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MkC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MkC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MkD: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MpB2: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
MsA: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
MsB2: Mattapex-----	95	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage Slope	1.00 0.32
Mx: Mixed Alluvial Land-	70	Not rated		Not rated	
My: Muck And Peat-----	100	Not rated		Not rated	
OhA: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OhB2: Othello-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage Slope	1.00 0.32
Om: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Oo: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Os: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Seepage	1.00
Pd: Plummer-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Somewhat limited Seepage	0.32
Pk: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Seepage	1.00
Pm: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Seepage	1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Po: Portsmouth-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage	1.00
Pr: Portsmouth-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage	1.00
Sa: St Johns-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Seepage	1.00
SfA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SfB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SfC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SfC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00



Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SfD: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
St: Steep Sandy Land----	100	Not rated		Not rated	
Sw: Swamp-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WdA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
WdB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32
WoA: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
WoB2: Woodstown-----	95	Very limited Depth to saturated zone	1.00	Very limited Seepage Slope	1.00 0.32

